



CLEAN ATTACK **LIQUID**

HYGIENIC HAND DISINFECTION

DISPENSER AND
REFILL
MAXIMUM
PROTECTION

How It Works:

- ✦ Refill bottle contains **bactericidal** and **fungicidal** disinfectant
- ✦ Prevents both **bacterial** and **fungal** growth
- ✦ Limited virucidal effect also confirmed
- ✦ Reliably kills any form of **Corona-, Rota-, Influenza- and Noro-Viruses**
- ✦ Correct application is required
- ✦ Exceptional skin friendliness, long term usage possible without worries





MANY THANKS FOR YOUR ATTENTION!




HAND DISINFECTION

THE BEST WAY TO DISINFECT

Apply 3 ml* of Clean Attack Liquid hand disinfection to your hands and use as illustrated.

*1 pump equals 0.8 ml

01



02



03



04



05



06



Verbund für Angewandte Hygiene (VAH)

Association for Applied Hygiene

– Desinfektionsmittel-Kommission im VAH –

Disinfectant Commission in VAH

Zertifikat / Certificate

über die Konformität der Wirksamkeitsprüfungen für / *for conformity of efficacy tests for*

Clean Attack liquid

mit den Anforderungen und Methoden zur VAH-Zertifizierung chemischer Desinfektionsverfahren –
Stand 2.4.2015 - bzw. den Übergangsbestimmungen vom 2.4.2015

*with the requirements and methods of VAH-certification for chemical disinfection procedures –
as per 2 April 2015 - and the transitional provisions of 2 April 2015, respectively.*

ANTRAGSTELLER / APPLICANT:

ILLE Papier- Service GmbH

Industriestraße 28

63674 Altenstadt

WIRKSTOFFE nach Art und Menge bezogen auf 100 g:

Quantity of active substances per 100 g:

63,1 g 2-Propanol

Hiermit wird bestätigt, dass das o.g. Produkt für die prophylaktische Desinfektion in den aufgeführten Anwendungsbereichen in folgenden Konzentrations-Zeit-Relationen als wirksam eingestuft wird:

This is to confirm that the above product was found to be effective for prophylactic disinfection in the application domains listed below at the specified concentration/contact time ratios:

Händedesinfektion / Hand disinfection				
Hygienisch / Hygienic		Chirurgisch / Surgical		
Einwirkungszeit / <i>Exposure time</i> (min)		Einwirkungszeit / <i>Exposure time</i> (min)		
1/2	1	1 – 2,5	3	5
konz.*		konz.		
		1,5 min*		

***Die Hände während der gesamten Applikationszeit durch das konzentrierte Präparat feucht halten. /**
Keep hands well moistened with the concentrated product during the entire application time.

Das Zertifikat ist gültig vom 28.02.2019 bis zum 28.02.2022 (3 Jahre) /
Certificate is valid from 28.02.2019 until 28.02.2022 (3 years)

Der Antragsteller hat sich mit den Bedingungen der zum Zeitpunkt der Antragstellung gültigen Geschäftsordnung der Desinfektionsmittelkommission im VAH einverstanden erklärt und rechtsverbindlich bestätigt, dass das von ihm in Handel gebrachte Präparat in seiner Zusammensetzung identisch mit den für die Erstellung der Gutachten eingereichten Mustern ist. /
The applicant has agreed to the conditions laid down in the rules of the disinfectant commission in the VAH valid at the time of application and has legally binding confirmed that the distributed product is identical with the product used for the activity testing.

Bonn, den **28.02.2019**

Place/Date

Der Vorsitzende der / *The Chairman of the*
Desinfektionsmittel-Kommission im VAH / *Disinfectant Commission in VAH* - Ident.No N18/511

Desinfektionsmittel-Kommission im VAH, c/o Institut für Hygiene, Sigmund Freud-Str. 25, D-53127 Bonn, www.vah-online.de, info@vah-online.de, Tel. 0228-207 4022



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Clean Attack liquid

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Hand disinfectant for professional use

1.3. Details of the supplier of the safety data sheet

Company name:	Ille Papier-Service GmbH	
Street:	Industriestraße 25	
Place:	D-63674 Altenstadt	
Telephone:	+49 (0) 6047 980-0	Telefax: +49 (0) 6047 980-70
e-mail:	info@ille.eu	
Responsible Department:		

Responsible for the safety data sheet: sds@gbk-ingelheim.de

1.4. Emergency telephone number:INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Regulation (EC) No. 1272/2008**

Hazard categories:

Flammable liquid: Flam. Liq. 3

Serious eye damage/eye irritation: Eye Irrit. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazard Statements:

Flammable liquid and vapour.

Causes serious eye irritation.

May cause drowsiness or dizziness.

2.2. Label elements**Regulation (EC) No. 1272/2008****Signal word:** Warning**Pictograms:****Hazard statements**

H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P102	Keep out of reach of children.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P501	Dispose of contents/container to in accordance with local and national regulations.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 2 of 9

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

Vapours may form explosive mixture with air.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Alcoholic solution

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
67-63-0	Propan-2-ol			60 - 65 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.
If you feel unwell, seek medical advice.

After inhalation

Move to fresh air in case of accidental inhalation of vapours.
In the event of symptoms refer for medical treatment.

After contact with skin

No special measure necessary.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.

After ingestion

Summon a doctor immediately.
Rinse out mouth and give plenty of water to drink.
Never give anything by mouth to an unconscious person.
Induce vomiting only upon the advice of a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes serious eye irritation.
May cause drowsiness or dizziness.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Alcohol-resistant foam, dry chemical, carbon dioxide (CO₂), water-spray.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 3 of 9

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide and carbon dioxide

5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

Additional information

Keep away from sources of ignition - No smoking.

Vapours are heavier than air and spread along ground.

The vapour/air mixture is explosive, even in empty, uncleaned receptacles.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Ensure adequate ventilation.

Use personal protective clothing.

Keep away sources of ignition.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep tightly closed.

Use only in thoroughly ventilated areas.

Advice on protection against fire and explosion

Do not smoke - volatile.

Keep product and empty container away from heat and sources of ignition.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed in a dry, cool and well-ventilated place.

Hints on joint storage

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Hand disinfectant for professional use



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 4 of 9

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

When using do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

Do not breath vapours or spray mist.

Avoid contact with eyes.

Eye/face protection

Safety goggles with side protection (EN 166).

Eye wash bottle with pure water (EN 15154).

Hand protection

Protective gloves resistant to chemicals made off butyl, minimum coat thickness 0.7 mm, permeation resistance approx. 480 minutes, i.e. protective glove <Butoject 898> made by www.kcl.de.

Protective gloves resistant to chemicals made off viton, minimum coat thickness 0.7 mm, permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove <Vitoject 890> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Colourless
Odour:	Alcoholic

Test method

pH-Value (at 20 °C):	7 - 8,6
----------------------	---------

Changes in the physical state

Melting point:	< - 20 °C
Initial boiling point and boiling range:	> 85 °C
Sublimation point:	n.a.
Softening point:	n.d.
Flash point:	24 °C



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 5 of 9

Flammability

Solid: n.a.

Gas: n.a.

Explosive properties

The product is considered non-explosive; nevertheless explosive vapour/air mixture can be generated.

Lower explosion limits: 2 vol. %

Upper explosion limits: n.d.

Ignition temperature: > 485 °C

Auto-ignition temperature

Solid: n.a.

Gas: n.a.

Decomposition temperature: n.d.

Oxidizing properties

Not oxidising.

Vapour pressure: n.d.

Density (at 20 °C): approx. 0,876 g/cm³

Bulk density: n.a.

Water solubility: Miscible
(at 20 °C)

Partition coefficient: n.d.

Viscosity / dynamic: approx. 9 mPa·s
(at 20 °C)

Viscosity / kinematic: n.d.

Flow time: n.d.

Vapour density: n.d.

Evaporation rate: n.d.

Solvent separation test: 0 %

Solvent content: < 65 %

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

Vapour/air mixtures are explosive at intensive warming.

Heating can release vapours which can be ignited.

10.5. Incompatible materials

oxidizing agents



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 6 of 9

10.6. Hazardous decomposition products

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

No toxicological data available.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (Propan-2-ol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

12.2. Persistence and degradability

Propan-2-ol

Readily biodegradable (to OECD criteria).

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a

PBT / vPvB substance.

12.6. Other adverse effects

Low hazard to waters.

Further information

Do not discharge into surface waters/groundwater.

SECTION 13: Disposal considerations



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 7 of 9

13.1. Waste treatment methods**Advice on disposal**

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

070604 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other organic solvents, washing liquids and mother liquors; hazardous waste

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information**Land transport (ADR/RID)**

14.1. UN number:	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Propan-2-ol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3



Classification code:	F1
Limited quantity:	5 L / 30 kg
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

Inland waterways transport (ADN)

14.1. UN number:	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (Propan-2-ol)
14.3. Transport hazard class(es):	3
14.4. Packing group:	III
Hazard label:	3



Classification code:	F1
Limited quantity:	5 L / 30 kg
Excepted quantity:	E1

Marine transport (IMDG)

14.1. UN number:	UN 1987
14.2. UN proper shipping name:	ALCOHOLS, N.O.S. (propan-2-ol)
14.3. Transport hazard class(es):	3



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 8 of 9

14.4. Packing group:

III

Hazard label:

3



Marine pollutant:

No

Limited quantity:

5 L / 30 kg

Excepted quantity:

E1

EmS:

F-E, S-D

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number:**

UN 1987

14.2. UN proper shipping name:

ALCOHOLS, N.O.S. (propan-2-ol)

14.3. Transport hazard class(es):

3

14.4. Packing group:

III

Hazard label:

3



Limited quantity Passenger:

10 L

Passenger LQ:

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger:

355

IATA-max. quantity - Passenger:

60 L

IATA-packing instructions - Cargo:

366

IATA-max. quantity - Cargo:

220 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC):

63 %

Information according to 2012/18/EU
(SEVESO III):

P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D):

1 - slightly water contaminating

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Clean Attack liquid

Revision date: 19.12.2018

Product code: 00320-0160-GHS

Page 9 of 9

SECTION 16: Other information**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
IMDG = International Maritime Code for Dangerous Goods
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
MARPOL = International Convention for the Prevention of Pollution from Ships
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
CAS = Chemical Abstract Service
EN = European norm
ISO = International Organization for Standardization
DIN = Deutsche Industrie Norm
PBT = Persistent Bioaccumulative and Toxic
vPvB = Very Persistent and very Bio-accumulative
LD = Lethal dose
LC = Lethal concentration
EC = Effect concentration
IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

